

# NO COMPROMISE IN AN EMERGENCY CASE

PROFESSIONAL DEFIBRILLATORS FOR EMERGENCY MEDICINE.

HeartSave AED-M HeartSave 6/6S DefiMonitor XD







# NO COMPROMISE IN AN EMERGENCY CASE REAL PROFESSIONALS CALL FOR PROFESSIONAL EQUIPMENT!



## AN EXCELLENT REPUTATION WORLDWIDE

Mature and safe technology, straightforward operation, high quality and absolute reliability under extreme conditions: these are the unique attributes of PRIMEDIC™ defibrillators. No wonder our extremely robust devices enjoy an excellent reputation in resuscitation and emergency medicine worldwide.

#### DECADES OF EXPERIENCE

With 40 years of service in the field of medical equipment, our family-run company in Germany produces professional and automatic defibrillators for professional and lay users. Working together closely with hospitals and those who use our devices in a practical context, we are driving the evolution of new technology for advanced user quality.

#### QUALITY AS A PRINCIPLE

Emergency services rely on quality, because they need to be able to depend on their equipment. Designed for use by emergency physicians and the emergency services, our defibrillators combine maximum equipment with the greatest possible reliability. This means that no valuable time is lost during use.

PRIMEDIC™. Saves Life. Everywhere.

# PROGRESSIVE ADVANCED TECHNOLOGY FOR PROFESSIONAL DEFIBRILLATORS



#### ALL-DECIDING SHOCKS THAT SAVE LIVES

At the threshold between life and death, where life is hanging by a mere thread, our sophisticated PRIMEDIC™ defibrillators can deliver that all-deciding shock – to get patients on the road back to life.

## IN CASE OF DOUBT, IT'S THE SECONDS THAT COUNT

Life is too important: day for day, minute for minute and second for second, PRIMEDIC $^{TM}$  devices are demonstrating just how reliable and exceptionally performance-capable they are.

### QUANTUM LEAP IN EMERGENCY MEDICINE

We are opening up completely new possibilities in resuscitation and emergency medicine for professional users around the world with our high-performance defibrillators from the HeartSave, DefiMonitor XD and EVO series. Our highly sophisticated devices are fitted with advanced technology and have been used by health and emergency services, clinics, aid organisations and doctors for decades.

#### GENTLE AND SAFE FOR THE HEART MUSCLE

HeartSave and DefiMonitor XD with CCD (Current-Controlled Defibrillation):
The biphasic defibrillation technology of the PRIMEDIC™
DefiMonitor XD is gentle on the patient's heart muscle. The pulse output stage generates an individualised, gentle, effective and current-controlled defibrillation pulse that is devoid of damaging current peaks.



### HeartSave AED-M - ABSOLUTELY RELIABLE

MONITOR | OPERATION

Intuitive, easy-to-use AED thanks to high-resolution 4.7" blue-mode monitor (12 cm diagonal: largest AED display available on the market). Voice prompts and a precise metronome are displayed throughout the defibrillation process.

PEDIATRIC BUTTON

Pediatric defibrillation according Metrax GmbH pediatric ECG database.

SHOCK BUTTON

Real one-button operation. Once analysis is co

Real one-button operation. Once analysis is complete and the device has been cleared for use, defibrillation is triggered by pressing the shock button.

CONNECTOR SOCKET

Connection point for pre-connected electrode or ECG monitoring cable.

STATUS DISPLAY

The active status display informs the user about the usability of the device and battery. Automatic self-tests are performed every day.

6 BATTERY COMPARTMENT AND ACCESS TO SaveCard

Easy release to replace battery (PRIMEDIC™ AkuPak LITE or 6-year lithium battery) and access to SaveCard. The device automatically stores all resuscitation data.

SETUP MENU
Individual user configurations; user instructions available in a range of languages.



# HeartSave 6/6S – THE PROFESSIONAL FOR PROFESSIONALS

MONITOR | OPERATION

Intuitive, easy-to-use AED with additional manual mode thanks to high-resolution 4.7" blue-mode monitor. Voice prompts and a precise metronome are displayed throughout the defibrillation process.

PEDIATRIC BUTTON

Pediatric defibrillation according Metrax GmbH pediatric ECG database.

SHOCK BUTTON

Real one-button operation. Once analysis is complete and the device has either been cleared for use or the power level has been manually selected, defibrillation is triggered by pressing the shock button.

CONNECTOR SOCKET

Connection point for pre-connected electrode or ECG monitoring cable.

STATUS DISPLAY

The active status display informs the user about the usability of the device and battery. Automatic self-tests are performed every day.

6 BATTERY COMPARTMENT AND ACCESS TO SaveCard

Easy release to replace battery (PRIMEDIC™ AkuPak LITE or 6-year lithium battery) and access to SaveCard. The device automatically stores all resuscitation data.

SETUP MENU
Individual user configurations possible in setup menu; user instructions available in a range of languages. In addition to AED mode, it is also possible to switch to manual mode.



# THE **Heart**Save SERIES KEY ADVANTAGES AT A GLANCE



#### HIGH-RESOLUTION MONITOR

Both the HeartSave AED-M and 6/6S are equipped with a monitor for displaying action time, ECG curve, heart rate, detected VF as well as defibrillations generated and BLS instructions (Basic Life Support).

#### COST-EFFECTIVE MONITORING

A separate 2 / 4-core ECG cable and ECG electrodes are also optionally available.

## MANUAL MODE SYNCHRONOUS DEFIBRILLATION

In addition to AED mode, the HeartSave 6/6S also has a manual mode. If a QRS complex is detected in manual mode, synchronous markers are automatically assigned on the R wave and cardioversion is enabled. The following power levels can be selected here: 50J, 100J, 200J, 300J und 360J (adult mode) I 20J, 40J, 60J, 80J, 100J (child mode).

#### THE WORKS

With its 6-lead ECG and  ${\rm SpO}_2$  monitoring, the HeartSave 6/6S offers comprehensive emergency monitoring.

#### THE HeartSave AED-M AND 6/6S ARE SAVE

- ► Thanks to sophisticated CCD technology from PRIMEDIC™

  Defibrillation can be individually adjusted and is safe for the heart muscle.
- ► Thanks to efficient data management

  All relevant data (ECG, buttons pressed, defibrillations) are recorded and can be retrieved immediately using the read-out software.
- ► Thanks to its update capability

  Software updates are easy to install via the SaveCard (memory card).
- ► Thanks to clear status information

  The active status display provides up-to-date information on the usability of the device and battery.
- ➤ Thanks to a long battery life


  You can choose between high-performance lithium batteries and rechargeable AkuPak LITE batteries.
- ► Thanks to a well-conceived product design

  Clear, intuitive user interface, routine self-tests, protection against splash water and dust (IP55) and salt fog, extremely robust.

# THE **Defi**Monitor **XD** – THE HIGH-PERFORMANCE ALL-ROUNDER

#### COMPACT - WITH CLASS

The DefiMonitor XD combines a device design that is both compact and tried and trusted in practice with the highest possible degree of safety and simple handling. The device's extremely robust housing with shaped inlets, low weight, comprehensive software functions and useful accessories have been impressing professional users in emergency medicine for years, as it guarantees targeted handling even in extreme situations. Thanks to special mounting and charging systems, the DefiMonitor XD can be positioned anywhere.



### OPTIONAL DEVICE CONFIGURATIONS FOR THE **Defi**Monitor **XD**

For even greater safety in patient monitoring, all products from the DefiMonitor XD range can also be upgraded with the following additional products (optional):

- ► Nellcor SpO₂ pulse oximeter
- ► Transthoracic, external pacemaker
- ► Automatic VF detection (AED mode)

MONITOR | OPERATION
Intuitive and easy to use thanks to

highresolution 5,7" blue-mode monitor. Voice prompts and a precise metronome are displayed throughout the defibrillation process.

SHOCK BUTTON

Real one-button operation. Once analysis is complete and the device has been cleared for use, defibrillation is triggered by pressing the shock button.

CONNECTOR SOCKET

Connection point for pre-connected electrode or ECG monitoring cable.

STATUS DISPLAY

Active status display provides 100% information on the device's operating status (regular self-tests).

# 5 BATTERY COMPARTMENT AND ACCESS TO SaveCard

Easy release to replace battery (PRIMEDIC™ AkuPak LITE) and access to SaveCard.

SETUP MENU
Individual user configurations possible in setup menu; user instructions available in a range of languages. In addition to AED mode, it is also possible to switch to manual mode.

HANDS-FREE DEFIBRILLATION
Charging button for hands-free defibrillation
with the aid of SavePads electrodes.

PADDLES
Possible to switch to paddles.



EVERYTHING UNDER CONTROL:

THE PADDLES

#### EASY TO USE, QUICKLY READY FOR OPERATION

The integrated children's defibrillation electrodes are readily available at the site of the medical emergency and do not require adapters. Using the innovative bayonet mechanism, adult paddles can be transformed into children's paddles in next to no time at all. This means that the children's paddles are always right where you need them – on the DefiMonitor XD itself.

You therefore have all options safely under control: you have the choice between the ergonomically shaped, external defibrillation paddles and the SavePads connect adhesive electrodes, which can be used for hands-free defibrillation at any time.











# THE **Defi**Monitor **XD** SERIES INTELLIGENT SOFTWARE AT A GLANCE

#### **Defi**Monitor **XD** IS SIMPLE AND SAFE

- ► Thanks to sophisticated CCD technology from PRIMEDIC<sup>TM</sup>

  Defibrillation can be individually adjusted and is safe for the heart muscle.
- ► Thanks to efficient data management
  All relevant data (ECG, buttons pressed, defibrillations, voice recordings) and self-tests performed are recorded and can be retrieved immediately using the read-out software.
- ► Thanks to its update capability

  Software updates are easy to install via the SaveCard (memory card).

#### ► Thanks to clear status information

The active status display provides up-to-date information on the usability of the device and battery.

- ► Thanks to a long battery life
  High-performance AkuPak LITE batteries guarantee up to 100
  discharges at 360 J.
- ► Thanks to an integrated thermal printer

  Documents can be printed in a range of ways.

## THE **Def**iMonitor **XD** IS GUARANTEED OFF-ROAD

- ► Thanks to EN1789 certification
- ► Thanks to its high-contrast monitor

  Ensures optimum visibility, even in bright ambient light.
- ► Thanks to shock-absorbent housing

  The device remains functional even under extreme conditions.





# CONNECTORS





2 SOCKET FOR ELECTRODE PLUG

SOCKET FOR SpO<sub>2</sub> SENSOR (OPTIONAL)

SOCKET FOR PADDLE CABLE



RELEASE LEVER FOR PRINTER COVER

2 PRINTER COVER

3 MAINS CONNECTION


FASTENER HOLE FOR BAG (OPTIONAL)



Here you can find brochures, data sheets and certificates for the PRIMEDIC™ product range.

### AFTER-SALES SERVICE





# IT IS IMPORTANT TO US TO HAVE A GOOD RELATIONSHIP WITH OUR CUSTOMERS

Our relationship with you doesn't end once your purchase is complete! Our skilled and experienced PRIMEDIC™ customer service staff and our partner companies are always on hand to help you. Service technicians carry out all repairs on any PRIMEDIC™ devices either at our headquarter or at authorized service partners.

You can also let the professionals perform any necessary technical safety checks. Quick response and processing times and technically experienced customer support on the phone and by email are taken seriously at PRIMEDIC $^{TM}$ . To top it off, the service team provides our partner companies with training courses in the field of technical safety checks.

## **ACCESSORIES**

#### PRIMEDIC™ AkuPak LITE

Latest PRIMEDIC™ AkuPak LITE technology with 1000 charge cycles (4-year lifespan) offers user-friendly handling and maintenance



#### **CLIP CHARGER**

HeartSave AED-M and 6/6S for AkuPak LITE



#### **BATTERY**

6-year battery HeartSave AED-M and 6/6S



#### PRIMEDIC™ SavePads CONNECT CABLE

2-core, for connection of PRIMEDIC™ SavePads adhesive electrodes for adults, incl. cable and plug



For attachment to patient's bed/stretcher (DefiMonitor XD)



With storage compartments and shoulder strap







#### OTHER ACCESSORIES ON REQUEST.

#### SaveCard

#### PRIMEDIC™-CHARGER BASIC

Vehicle charging unit (12V) with single-hand release for HeartSave and DefiMonitor XD





#### **WALL MOUNT**

With single-hand release, vehicle certification in line with EN1789 for HeartSave and DefiMonitor XD





#### Head Office/Production location

#### **METRAX GmbH**

Rheinwaldstr. 22 D-78628 Rottweil

Germany

Phone: +49 741 257-0 Fax: +49 741 257-235

www.primedic.com info@primedic.com

#### METRAX Worldwide (Sales Offices)

#### **METRAX GmbH**

Shanghai Rep. Office Room 720, Block B, URBANK 88 Office Park No.88, North Zhangjiabang Road, Pudong, Shanghai 200122 P.R. China

Phone: +86 21 583199-80 Fax: +86 21 583177-79

www.primedic.cn info@primedic.cn

#### METRAX GmbH

Moskow Rep. Office UI. Vavilowa 5, corpus 3 119334 Moskow Russia Phone: +7 495 722 17 05 www.metrax.ru

info@metrax.ru

